

Parafon® Bass



Parafon Bass is a supplementary sound absorber that is placed above the visible acoustic ceiling in order to provide absorption in the plenum for different purposes. Parafon Bass is manufactured in non-combustible rockwool with a thin glass-fibre felt on the front and back, and thin spray painted edges. The product is not visible after installation and imperfections and colour variations will occur.

Product Description

Facing material: Glass fiber tissue, nature. Color variations and irregularities may occur.

Treatment of edges: Thin spray painted.

Edges & Dimensions

Thickness	Width x Length (modular size)	Weight kg/m²
50	600 x 1200 mm	2,0

Performances

Reaction to fire



Α1

According to: EN 13964:2014 (EN 13501-1)

Cleaning



May be cleaned using a soft brush, by vacuum cleaning or by wiping with a damp cloth or sponge.

Indoor environment



M1, Danish Indoor Climate Labelling class 2.









Fire resistance



The fire performance of mineral wool does not deteriorate with time. The Euroclass classification of products is related to the organic content, which cannot increase with time.

Humidity and sag resistance



May be used continuously in 95% relative humidity at a temperature of $30\,^{\circ}$ C, occasionally also at 100% and $40\,^{\circ}$ C.

Environment & sustainability



Fully recyclable stone wool

Installation



Placed on top of the suspended ceiling.

Parafon® is a registered trademark of the ROCKWOOL Group.

in Linkedin.com/Parafon

Youtube.com/Parafon

www.parafon.com

Parafon (ROCKWOOL AB) Reception: Lillebovägen 2 541 91 Skövde

Delivery address: Rydsdalsvägen 9 541 91 Skövde

E-mail: order@parafon.com Tel.: +46 (0)500-10 11 00



03.2023 | All colour codes mentioned are based on the NCS - Natural Colour System*® property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Parafon accepts no responsibility for printing errors.